

CATALOGUE

ASAVAS & ARISHTAS

AAMALAKAASAVAM

Ashtangahrudayam

Prameha chikitsa.

Indications: Diabetes, excessive thirst, and general weakness,

Dose & Mode of Use: 30 ml twice daily before or after food

AARAGWADHAADIAASAVAM

Ashtangahrudayam

Shodhanaadi ganam.

Indications: All skin diseases, kapha based ailments, itching, leucoderma, and foul wounds.

Dose & Mode of Use: 15-30 ml twice daily.

ABHAYAARISHTAM

Ashtangahrudayam

Arsas chikitsa.

Indications: Piles, constipation, ascitis and dropsy. Remove obstructions to urine.

Dose & Mode of Use: 15-30 ml, twice daily after food.

AMRUTAARISHTAM

Bhaishajiaratnaavali

Jwara chikitsa.

Indications: All types of fevers, malaria, indigestion etc.

Dose & Mode of Use: 15-30 ml, twice daily after food.

ARAVINDAASAVAM

Sahasrayogam

Indications: General tonic for children, appetizer

Dose & Mode of Use: 5-15 ml, twice daily

ASHOKAARISHTAM

Bhaishajiaratnaavali

Pradara chikitsa.

Indications: Menorrhagia, metrorrhagia, vaginal discharges etc.

Dose & Mode of Use: 15-20 ml, twice daily after food.

ASHWAGANDHAARISHTAM

Bhaishajiaratnaavali

Moorchaaroga chikitsa.

Indications: Dullness, loss of memory, sluggishness, epilepsy, insanity and emaciation. It increases the ojas and nourishes all dhatus.

Dose & Mode of Use: 15- 30 ml, twice daily after food.

AYASKRITI

Ashtangahrudayam
Prameha chikitsa

Indications: Diabetes,piles,leucoderma, skin diseases, anorexia, worms,obesity and grahani.

Dose & Mode of Use: 15-25 ml daily after food.

BALAAARISHTAM

Bhaishajjaratnaavali
Vaatachikitsa

Indications: Rheumatic and nervous diseases.

Dose & Mode of Use: 15-30 ml twice or thrice daily

CHANDANAASAVAM

Bhaishajjaratnaavali
Suklameha chikitsa

Indications: Gleet, spermatorrhoea, burning micturition etc.

Dose & Mode of Use: 15-25 ml twice or thrice daily

CHITRAKASAVAM

Ashtangahrudayam
Switra chikitsa

Indications: Leucoderma, skin diseases, anaemia etc.

Dose & Mode of Use: 15-30 ml twice or thrice daily

DANTIARISHTAM

Ashtangahrudayam
Arsas chikitsa.

Indications: Constipation, ascites, etc. Mild laxative.

Dose & Mode of Use: 15-30 ml twice daily

DASHAMOOLAAARISHTAM

Bhaishajjaratnaavali
Vajeekaranaadhikaram.

Indications: This is a divine medicine in promoting ojas,seminal and general strength.Indicated in gas troubles, hiccough,cough , sprains, urinary troubles like calculus,gravels and strained micturation. etc.

Dose & Mode of Use: 15-25 ml twice daily.

DASHAMOOLAJEERAKAARISHTAM

Indications: This is a combination of yogas of both Dasamoolarishtam and Jerrakarishitam and can be used as a general health tonic.

Dose & Mode of Use: 15-25 ml twice daily.

DHANUANTHARAARISHTAM

Ashtangahrudayam
Garbhaviapachikitsa

Indications: Disease of purperum and postnatal care.

Dose & Mode of Use: 10-30 ml, twice daily

DRAAKSHARISHTAM

Shaarnghadharasamhita.

Indications: Anaemia, general weakness, pandu, grahani etc.

Dose & Mode of Use: 25-50 ml twice daily

DURAALABHAARISHTAM

Ashtangahrudayam

Arsas chikitsa

Indications: Piles, constipation, indigestion etc.

Dose & Mode of Use: 15-25 ml, twice daily before meals.

JEERAKAARISHTAM

Bhaishajiaratnaavali

Sootika rogam

Indications: Puerperal diseases, asthma, consumption, loss of voice, hiccoughs etc.

Dose & Mode of Use: 15-30 ml twice daily.

KANAKAASAVAM

Bhaishajiaratnaavali

Hikkaswasa chikitsa.

Indications: Asthma, consumption, chronic fever, raktapitta etc.

Dose & Mode of Use: 15-30 ml twice daily before meals.

KHADIRAARISHTAM

Bhaishajiaratnaavali

Kushta chikitsa.

Indications: Skin diseases, leprosy, heart diseases, anaemia, gulma, worms etc.

Dose & Mode of Use: 15-30 ml, twice daily before meals.

KUMAARYAASAVAM

Sahasrayogam

Indications: Menstrual complaints, uterine tonic.

Dose & Mode of Use: 10-30 ml, twice daily

KUTAJAARISHTAM

Bhaishajiaratnaavali

Atisara chikitsa

Indications: Dysentery, haemorrhoids, grahani, chronic fever etc.

Dose & Mode of Use: 15-30 ml, twice daily after food.

LODHRAASAVAM

Ashtangahrudayam

Prameha chikitsa.

Indications: Diabetes, piles, skin troubles, anorexia, worms, anaemia, grahani etc.

Dose & Mode of Use: 15-30 ml, twice daily after food.

LOHAASAVAM

Bhaishajjaratnaavali
Jwara chikitsa.

Indications: Anaemia, dropsy, splenic disorders, diabetes, gulma, asthma, fistula etc.

Dose & Mode of Use: 15-25 ml twice or thrice daily after food.

MADHOOKAASAVAM

Ashtangahrudayam
Grahani chikitsa.

Indications: Grahani, mandagni etc.

Dose & Mode of Use: 15-30 ml twice daily.

MUSTAARISHTAM

Bhaishajjaratnaavali
Agnimandya chikitsa.

Indications: Grahani, poor digestion, diarrhoea, anorexia etc.

Dose & Mode of Use: 15-25 ml twice daily.

NIMBAAMRITAASAVAM

Ashtangahrudayam
Vataviadichikitsa

Indications: Vata ailments, bone degeneration, Vata Raktham etc.

Dose & Mode of Use: 10-30 ml, twice daily

PAARTHAARISHTAM

Bhaishajjaratnaavali
Hridroga chikitsa.

Indications: Heart diseases, anaemia etc.

Dose & Mode of Use: 15-30 ml twice daily.

PATOLAARISHTAM

Ashtangahrudayam
Shodhanaadi ganam.

Indications: Itches, fever, vomiting and loss of appetite. Specially indicated in skin diseases due to any poison.

Dose & Mode of Use: 15-50 ml twice daily.

PIPPALIASAVAM

Sarngadhara samhita.

Indications: Indigestion, anaemia, grahani and splenic diseases.

Dose & Mode of Use: 25-50 ml twice daily.

POOTEEKAASAVAM

Ashtangahrudayam
Arsas chikitsa.

Indications: Piles, gulma, distended stomach, constipation etc.

Dose & Mode of Use: 15-30 ml twice daily.

POOTEEKARANJAASAVAM

Ashtangahrudayam

Arsas chikitsa.

Indications: Piles and associated symptoms, gulma, distended stomach, constipation, strained micturition and calculus.

Dose & Mode of Use: 15-30 ml twice daily.

PUNARNAVAASAVAM

Bhaishajjaratnaavali

Shobha chikitsa.

Indications: Dropsy, anaemia etc.

Dose & Mode of Use: 25-30 ml twice daily.

SAARASWATAARISHTAM

Bhaishajjaratnaavali

Rasayanaadhikaram.

Indications: Epilepsy, insanity, and faults of speech. Excellent to promote intelligence.

Dose & Mode of Use: 5-10 ml twice daily.

SHAARIBAADIAASAVAM

Bhaishajjaratnaavali

Prameha chikitsa.

Indications: Diabetes and diabetic abscesses.

Dose & Mode of Use: 15-25 ml twice daily.

VAASHAARISHTAM

Gadanigraham

Indications: Cough, raktapittam and kapha diseases etc.

Dose & Mode of Use: 10-15 ml at regular intervals.

VARANAADIARISHTAM

Ashtanga hrudayam

Shodhanaadi ganam.

Indications: Head-ache, kapha diseases etc.

Dose & Mode of Use: 15-30 ml twice daily before food.

BHASMAS, KSHARAS, & RASAKRIYAS

HREEBERAKSHAARAM

Ashtangahrudayam

Switra chikitsa

Indications: Shwitram.

Dose & Mode of Use: External application with suitable oils like Akshatailam.

ILANEERKUZHAMPU

Sahasrayogam.

Indications: Ptergiums, cataract, corneal ulcers, inflammations, night blindness and pittaja netrarogas.

Dose & Mode of Use: 1 to 4 drops.

KALIAANAKSHAARAM

Ashtaamgahrudayam

Arsas chikitsa

Indications: Udawarta, piles, gulma, anaemia, ascitis, urinary obstruction, calculus etc.

Dose & Mode of Use: 2-5 gms mixed with ghee.

POWDER

ASHTACHOORNAM

Ashtangahrudayam

Gulma chikitsa.

Indications: Vatagulma, stomach ache, indigestion, grahani, loss of appetite etc.

Dose & Mode of Use: 2-5 gms with ghee before meals.

AVALGUJABEEJADI CHOORNAM

Ashtangahrudayam

Switra chikitsa.

Indications: Switram.

Dose & Mode of Use: Apply externally by making it a paste in cow's urine or coconut oil.

AVIPATTI CHOORNAM

Ashtangahrudayam

Virechana kalpam.

Indications: Purgative in Pitta based ailments and toxic conditions.

Dose & Mode of Use: 5-15 gms early in the morning or at bed time.

CHOORNARAJAN

Sahasrayogam.

Indications: Indigestion, colic and in Vatakapha ailments.

Dose & Mode of Use: 5-10 gms in boiled buttermilk.

DAADIMAASHTAKA CHOORNAM

Ashtangahrudayam

Atisara chikitsa.

Indications: Grahani, dysentery, indigestion etc.

Dose & Mode of Use: 5-10 gms with honey or boiled buttermilk before food.

ELAADICHOORNAM (GANDHACHOORNAM)

Ashtangahrudayam

Shodhanadi ganam.

Indications: Vata & Kapha based diseases, itches, scabies, pruritis, toxic conditions etc.

Dose & Mode of Use: External application with suitable oils or water.

GRUHADHOOMAADI LEPACHOORNAM

Ashtangahrudayam

Vatarakta chikitsa.

Indications: Pain and oedema of Vatarakta.

Dose & Mode of Use: Apply externally after making a paste with boiled butter milk or Dhaaniaamlam.

GULGULUPANCHAPALA CHOORNAM

Ashtangahrudayam

Bhagandara pradishedham.

Indications: Anal and other fistula, skin diseases, wounds etc.

Dose & Mode of Use: 2-5 gms to be taken with honey or ghees like Gulgulutiktakam.

HARIDRAAKHANDAM

Bhaishajiaratnaavali

Seetapitta udarda chikitsa.

Indications: Allergic diseases, rhinitis, vicharchika, itches, kodham and Kapha ailments etc.

Dose & Mode of Use: 5-10 gms twice daily.

HINGUVACHAADI CHOORNAM

Ashtangahrudayam

Gulma chikitsa.

Indications: Gulma, intestinal and urinary obstructions, dyspepsia, diarrhoea, hydrocele, piles, asthma, cough etc.

Dose & Mode of Use: 5-10 gms

HUTABHUGADI CHOORNAM

Sahasrayogam

Indications: Laxative. Piles and related pallor, dropsy, indigestion etc.

Dose & Mode of Use: 5-10 gms twice a day in buttermilk.

INDUPPUKAANA CHOORNAM

Sahasrayogam.

Indications: Improves digestion and helps bowel movements.

Dose & Mode of Use: 5-10 gms in hot water or butter milk.

JATAAMAYAADI CHOORNAM

Sahasrayogam.

Indications: Vaatakarta, burning sensation and oedema in rheumatic diseases etc.

Dose & Mode of Use: Apply externally cooked in butter milk or Dhaaniaamlam

KACHCHOORAADI CHOORNAM

Sahasrayogam.

Indications: Head-ache, burning sensation, giddiness, confusion of mind etc.

Gives sound sleep.

Dose & Mode of Use: May be applied over the crown after mixing with breast milk or suitable medicated oils or ghees.

KARPOORAADI CHOORNAM

Sahasrayogam.

Indications: Cough, consumption, indigestion, loss of appetite etc.

Dose & Mode of Use: 5-10 gms a day in honey, or in small doses at intervals.

KOLAKULATHAADI CHOORNAM

Ashtangasamgraham

Vataviadhi chikitsa.

Indications: For making poultice for Sweda karma in Vata based ailments, rheumatism etc.

Dose & Mode of Use: Rub the poultice on affected part after cooking with Dhaaniaamlam or buttermilk.

KOTTAMCHUKKAADI CHOORNAM

Sahasrayogam

Indications: Vata ailments, rheumatism etc.

Dose & Mode of Use: External application after cooking with Dhaaniaamlam.

LODHRAADI CHOORNAM

Ashtangahrudayam

Lootaavisha pradishedham.

Indications: Lootaavisham.

Dose & Mode of Use: Both internal and external applications.

NIMBAADI CHOORNAM

Ashtangahrudayam

Kushta chikitsa.

Indications: Skin troubles, itches especially on testicles, in the groins and armpits.

Dose & Mode of Use: Mix in sour buttermilk and apply or rub over the affected parts.

PANCHAKOLA CHOORNAM

Patent

Major Ingredients: Panchakolam.

Indications: Indigestion, cough, asthma, rhinitis and grahani.

Dose & Mode of Use: 2-5 gms in buttermilk, hot water or honey.

PULINKUZHAMBU CHOORNAM

Sahasrayogam.

Indications: Menstrual disorders, use in Soothikacharya.

Dose & Mode of Use: 15-20 gms with butter milk twice daily.

PUSHIAANUGA CHOORNAM

Ashtangahrudayam

Guhiaroga chikitsa.

Indications: Leucorrhoea, diarrhoea, bleeding piles, yonirogas, raktapitta etc.

Dose & Mode of Use: 5-10 gms to be taken in rice washings or in honey or in both.

RAASNAADI CHOORNAM

Sahasrayogam

Indications: Catarrh, fever, heaviness and ache of the head.

Dose & Mode of Use: Apply over the crown after mixing with breast milk or Castor oil.

RAJANIAADI CHOORNAM

Ashtangahrudayam

Baalamaya pradishedham.

Indications: Indigestion, diarrhoea, anaemia, cough and all ailments peculiar to children.

Dose & Mode of Use: 1-3 gms in honey or ghee.

SARASIJA MAKARANDAADI CHOORNAM

Sahasrayogam

Indications: Uterine bleeding.

Dose & Mode of Use: 5 gms thrice daily with honey.

SHADHDHARANA CHOORNAM

Ashtangasamgraham

Kushta chikitsa.

Indications: Vataraktam, skin diseases, piles, flatulence, diabetes etc. It gives remarkable relief in numbness, pain, sprain and oedema.

Dose & Mode of Use: 5-10 gms in hot water or boiled buttermilk.

TAALEESAPATRAADI CHOORNAM

Ashtangahrudayam

Rajyakshma chikitsa.

Indications: Indigestion, loss of appetite, asthma, cough, side and chest aches, anaemia etc.

Dose & Mode of Use: 5-10 gms daily to be taken at intervals.

TAALEESAPATRA SITAAVATAKAM

Ashtangahrudayam

Grahani chikitsa.

Indications: Vomiting related to Vatakapha, grahani, chest pain, fever, stomach ache, cold, cough, asthma etc.

Dose & Mode of Use: 5-20 gm to be taken at intervals.

TRIPHALAADI CHOORNAM

Ashtangahrudayam

Timira pradishedham.

Indications: Ophthalmic diseases.

Dose & Mode of Use: 5-10 gms in honey or medicated ghees.

TWAGELAADI CHOORNAM

Ashtangahrudayam

Rajyakshma chikitsa.

Indications: Cough, dyspnoea, pain on flanks, rajyakshma, kapha ailments.

Dose & Mode of Use: 5-15 gms to be taken with honey or ghee.

VAISHWAANARA CHOORNAM

Ashtangahrudayam

Gulma chikitsa.

Indications: Dyspepsia, indigestion, loss of appetite, gulma, constipation etc.

Dose & Mode of Use: 5-15 gms with hot water or butter milk in the morning or twice daily.

VILANGAADI CHOORNAM

Sahasrayogam.

Indications: Obesity.

Dose & Mode of Use: 5-10 gms with hot water.

VILANGATANDULAADI CHOORNAM

Ashtangahrudayam

Virechana kalpam.

Indications: Gulma, ascitis, anaemia etc. Laxative for Kaphavata ailments.

Dose & Mode of Use: 5-10 gms with honey and ghee.

VIOSHAADI VATAKAM

Ashtangahrudayam

Naasaroga pradishedham.

Indications: Cold, cough, rhinitis, dyspnoea, loss of appetite, kapha ailments etc.

Dose & Mode of Use: 5-10 gm to be taken at intervals.

YOGARAJACHOORNAM

Sahasrayogam.

Indications: Fistula, piles, vatagulma, anaemia, dyspepsia, beejadosha etc.

Dose & Mode of Use: 5-10 gms in honey.

GHEES

AARAGWDHAMAHAATIKTAKA GHRUTAM

Sahasrayogam.

Indications: Skin diseases, switram etc.

Dose and Mode of use: 5-10 gms once a day.

AMRUTAPRAASHAM

Ashtangahrudayam

Kaasa chikitsa.

Indications: Impotency, frailty, kshatakasam, consumption etc. For women after delivery this is an unavoidable medicine to gain strength.

Dose and Mode of use: 5 to 20 gms may be taken either before morning meal or after supper with milk.

BRAHMEE GHRUTAM

Ashtangahrudayam

Unmada pratishedhaam.

Indications: Insanity, demoniacs, epilepsy and dullness of the brain. This develops memory.

Dose and Mode of use: 2 tsp. to 50 ml.

BRUHATCHCHAAGALAADI GHRUTAM

Bhaishajiaratnaavali

Vajeekaranaprakaranam

Indications: Weakness, waisting impotency etc.

Dose & Mode of Use: 5-10 gms, twice daily

DAADIMAADI GHRUTAM

Ashtangahrudayam

Paandu chikitsa.

Indications: Anaemia, indigestion, and for easy child-bearing and delivery.

Dose and Mode of use: 10-20 gms.

DHAATRIAADI GHRUTAM

Sahasrayogam

Indications: Leucorrhoea, menstrual bleeding etc.

Dose and Mode of use: 15-50 gms.

DOORVAA GHRUTAM

Sahasrayogam

Indications: Visarpa, non-suppurative ulcers etc.

Dose and Mode of use: 10-25 gms. Both externally and internally.

GULGULUTIKTAKA GHRUTAM

Ashtangahrudayam

Vataviadhi chikitsa.

Indications: Skin ailments, vaatasonita etc.

Dose and Mode of use: 10-15 gms.

HAPUSHAADI GHRUTAM

Ashtangahrudayam

Gulma chikitsa.

Indications: Vaatagulma, pain the flanks and chest, udara, piles etc.

Dose and Mode of use: 10-15 gms.

INDUKAANTA GHRUTAM

Sahasrayogam.

Indications: Vata rogas, kshaya, stomach ache, jeernajwara, vishamajwara, shophya etc.

Dose and Mode of use: 10-15 gms.

JAATIAADI GHRUTAM

Ashtangahrudayam

Vrana pratishedham.

Indications: Wounds.

Dose and Mode of use: For External application and Dhara.

KALIAANAKA GHRUTAM

Ashtangahrudayam

Unmada pratishedham.

Indications: Epilepsy, lunacy, anaemia, poisons etc.

Dose and Mode of use: 10-25 gms before meals.

MAHAABHOOTARAAVA GHRUTAM

Ashtangahrudayam

Bhoota pratishedham.

Indications: Demoniacs, epilepsy, hysteria, insanity etc.

Dose and Mode of use: 5-25 gms internally and for Nasyakarma.

MAHAAKALIAANAKA GHRUTAM

Ashtangahrudayam

Unmada pratishedham.

Indications: Epilepsy, lunacy, anaemia, poisons etc.

Dose and Mode of use: 10-50 gms before meals.

MAHAARAASNAADI GHRUTAM

Ashtangahrudayam

Kasa chikitsa.

Indications: Vata rogas, cough, tremors of the head, pain in the groins and vaginal tract etc.

Dose and Mode of use: 5-15 gms.

MAHAASNEHAM

Ashtangahrudayam

Vataviadhi chikitsa.

Indications: Vata ailments particularly in apatantraka, apatanaka etc.

Dose and Mode of use: 10-50 gms internally and for Snehana, Swedana and Nasyakarma.

MAHAATIKTAKA GHRUTAM

Ashtangahrudayam

Kushta chikitsa.

Indications: Skin diseases, wounds, visarpa, nadvrana, apachi, fistula etc.

Dose and Mode of use: 10-30 ml in empty stomach.

MAHALPANCHAGAVIA GHRUTAM

Ashtangahrudayam

Apasmaara pratishedham.

Indications: Epilepsy, insanity, demoniacs etc.

Dose and Mode of use: 10-15 gms.

MAHAPAISHAACHIKA GHRUTAM

Ashtangahrudayam

Unmaada chikitsa

Indications: Epilapsy, physic complaints etc.

Dose & Mode of Use: 5-10 gms, twice daily

MISHRAKASNEHAM

Ashtangahrudayam

Gulma chikitsa.

Indications: Purgative in gulma.

Dose and Mode of use: 5 drops to 1 tsp.

NAARASIMHA RASAAYANAM

Ashtangahrudayam

Rasaayanaadhikaaram.

Indications:Exhaustion, pitta ailments and wasting. Good aphrodisiac, dhaatu vardhaka and a well known rejuveinative recipe.

Dose and Mode of use:10-50 gms to be followed with milk.

PANCHAGAVIA GHRUTAM

Ashtangahrudayam

Apasmaara pratishedham.

Indications: Epilepsy,insanity,demoniacs,sterility etc.

Dose and Mode of use: 10-15 gms.

PHALASARPISS

Ashtangahrudayam

Guhyaroga pratishedham.

Indications: Gynaecological disorders,sterility etc.

Dose and Mode of use: 10-20 gms.

RAASNAADI GHRUTAM

Ashtangahrudayam

Vataviadhi chikitsa.

Indications: Vata ailments,cough etc.

Dose and Mode of use:10-50 gms.

RASAGHRUTAM

Ashtangahrudayam

Vataviadhi chikitsa.

Indications: Epileptic convulsions, apatandraka etc.

Dose and Mode of use:10-50 gms.

SAARASWATA GHRUTAM

Ashtangahrudayam

Baalopacharaneyam.

Indications: Confers good speech, intelligence, memory and digestive capacity.

Dose and Mode of use: 10-20 gms.

SHALPALA GHRUTAM

Ashtangahrudayam

Rajayakshma chikitsa.

Indications: Consumption,gulma, anaemia, nasal catarrah, dyspnoea, cough, weak digestion, dropsy etc.

Dose and Mode of use: 10-20 gms.

SHATAAVAREE GHRUTAM

Ashtangahrudayam

Guhyaroga pratishedham.

Indications: Yoni rogas, raktapitta, cough, raktavata, visarpa, epilepsy etc.

Dose and Mode of use: 10-20 gms.

SUKHAPRASOOTI GHRUTAM

Sahasrayogam.

Indications: This precludes delay, obstructions and unbearable pain in delivery and makes the process easy.

Dose and Mode of use: 10-20 gms, in empty stomach or along with morning
Food can be taken from the seventh and eight month till
the time of delivery according to the digestive capacity.

SUKUMAARA GHRUTAM

Ashtangahrudayam

Vidradhi Vrudhi chikitsa.

Indications: Vatagulma, raktagulma, antravrudhi, piles, constipation etc. It do anulomana of
Apana vayu in pregnant ladies and initiate easy delivery.

Dose and Mode of use: 10-25 gms.

TIKTAKA GHRUTAM

Ashtangahrudayam

Kushta chikitsa.

Indications: Pitta ailments, skin diseases, burning sensation, piles, nadvrana, apachi etc.

Dose and Mode of use: 10-15 gms.

TRAIPHALA GHRUTAM

Ashtangahrudayam

Thimirachikitsa

Indications: Thimiram, disease of eye etc.

Dose & Mode of Use: 5-10 gms at bed time.

VAJRAKA GHRUTAM

Ashtangahrudayam

Kushta chikitsa.

Indications: Visarpam, jeernajwara, raktapitta, skin diseases etc.

Dose and Mode of use: 10-15 gms.

VARANAADI GHRUTAM

Ashtangahrudayam

Shodhanaadi ganam.

Indications: Head ache, indigestion, hydrocele, internal abscess, gulma etc.

Dose and Mode of use: 10-20 gms.

VASTIAAMAYAANTAKA GHRUTAM

Sahasrayogam.

Indications: Urinary obstructions.

Dose and Mode of use: 10-20 gms.

VEERATARAADI GHRUTAM

Ashtangahrudayam

Shodhanaadi ganam.

Indications: Painful micturation, calculus, urinary ailments etc.

Dose and Mode of use: 10-20 gms.

VIDAARIAADI GHRUTAM

Ashtangahrudayam

Kasa chikitsa.

Indications: Heart diseases, consumption, cough etc.

Dose and Mode of use: 10-20 gms.

KASHAYAMS

AARAGWADHAADI KASHAYAM

Ashtangahrudayam

Shodhanaadi ganam.

Indications: Skin diseases, itching, diabetes, foul wounds etc. Mitigate Kapha dosa.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

AARAGWADHAAMRUTAADI KASHAYAM

Sahasrayogam.

Indications: Skin ailments, visarpa etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

AMRUTOTTARAM KASHAYAM

Sahasrayogam.

Indications: Fevers, vatasonitam etc. Mild laxative.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

ARDHAVILWAM KASHAYAM

Sahasrayogam.

Indications: Dropsy, constipation etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

ASHTAVARGAM KASHAYAM

Sahasrayogam

Indications: Vata ailments specifically in Nanatmaja types.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

BALAAAGULOOCHIAADI KASHAYAM

Sahasrayogam.

Indications: Paittika Vatasnitam, burning sensation etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

BALAAJEERAKAADI KASHAYAM

Sahasrayogam.

Indications: Cough and asthma.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

BALAAASHATHAVARIADI KASHAYAM

Ashtangahrudayam

Vataviadichikitsa

Indications: Vataraktams, burning sensation etc.

Dose & Mode of Use: 10-15 ml with 3 times hot water twice daily.

BHAARNGIAADI KASHAYAM

Sahasrayogam.

Indications: Sannipaata jwaram, chest pain, cough, asthma, anaham etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

BHADRAARVAADI KASHAYAM

Ashtangahrudayam

Shodhanaadi ganam.

Indications: Vata ailments.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

BRUHATIAADI KASHAYAM

Ashtangahrudayam

Mutraaghata chikitsa.

Indications: Urinary obstructions.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

CHIRUVILWAADI KASHAYAM

Sahasrayogam.

Indications: Piles, constipation, fistula, gulma etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

CHITRAKAADI KASHAYAM

Susruta samhita

Vata chikitsa.

Indications: Aamavata, back pain, joint pain, vata ailments etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

DASHAMOOLAKATUTRAYAM KASHAYAM

Sahasrayogam.

Indications: Asthma, cough, back ache, chest pain etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

DASHAMOOLAM KASHAYAM

Ashtangahrudayam

Annaswaroopa vijnaneeyam.

Indications: Vata ailments, cough, asthma etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

DASHAMOOLARAASNAADI KASHAYAM

Patent.

Major Ingredients : Combination of Raasnaadi Kashayam and Dashamoolam.

Indications: This has the properties of Raasnaadi kashayam and precisely indicated in vata dominant cases with pain and oedema.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

DHAANUANTARAM KASHAYAM

Ashtangahrudayam

Garbhaviapat chikitsa.

Indications: Vata ailments, hydrocele, gulma, strained micturation, vaginal ailments, consumption etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

DHANADA NAYANAADI KASHAYAM

Sahasrayogam.

Indications: Vata ailments especially in facial paralysis and aakshepakam.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

DRAAKSHAADI KASHAYAM

Ashtangahrudayam

Jwara chikitsa.

Indications: Fever, alcoholism, vomiting, swooning, giddiness, thirst, jaundice, rakta pitta etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

DUSPARSHAKAADI KASHAYAM

Ashtangahrudayam

Arsas chikitsa.

Indications: Piles, anal ache, back ache etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

ELAAKANAADI KASHAYAM

Sahasrayogam.

Indications: Consumption, cough etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

GANDHARVAHASTAADI KASHAYAM

Sahasrayogam.

Indications: Vata ailments, indigestion etc. Mild laxative.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

GULGULUTIKTAKAM KASHAYAM

Ashtangahrudayam

Vatarakta chikitsa.

Indications: Vatarakta, skin ailments, foul wounds, fistula etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

GULOOCHYADI KASHAYAM

Ashtangahrudayam

Shodhanaadiganam

Indications: Fever, thirst vomiting etc.

Dose & Mode of Use: 10-15 ml with 3 times hot water twice daily.

INDUKAANTAM KASHAYAM

Sahasrayogam.

Indications: Vishamajwaram, consumption, stomach aches, gulma etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

KAIDARYADI KASHAYAM

Sahasrayogam.

Indications: Vishoochika, thirst, aamajwaram etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

KATAKAKHADIRAADI KASHAYAM

Sahasrayogam.

Indications: Diabetes.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

MAHAAMANJISHTAADI KASHAYAM

Sahasrayogam.

Indications: Skin ailments, vataraktam, filariasis, numbness, paraplegia, obesity etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

MAHAARAASNAADI KASHAYAM

Sahasrayogam.

Indications: Paraplegia, apabahukam, gridrasi, apatanakam, hernia, hydrocele etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

MAHAATIKTAKAM KASHAYAM

Ashtangahrudayam

Kushta chikitsa.

Indications: Skin ailments, visarpam, dushtavranam, naadivranam etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

MANJISHTAADI KASHAYAM

Sahasrayogam.

Indications: Ailments due to blood impurity, vatasonita etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

MRUDWEEKAADI KASHAYAM

Sahasrayogam.

Indications: Thirst, liquor and drug intoxication etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

MUSALEEKHADIRAADI KASHAYAM

Sahasrayogam.

Indications: Leucorrhoea, bleeding etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

NAYOPAAYAM KASHAYAM

Sahasrayogam.

Indications: Asthma, cough etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

NIMBAADI KASHAYAM

Sahasrayogam.

Indications: Vidradhi, boils, diabetic carbuncles etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

NISHAAKATAKAADI KASHAYAM

Sahasrayogam.

Indications: Diabetes.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

NISHOTTAMAADI KASHAYAM

Ashtangahrudayam

Kushta chikitsa.

Indications: Kapha pitta based skin ailments, itches, dushta vrana etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

PANCHAKOLAM KASHAYAM

Ashtangahrudayam

Annaswaroopam vijnaneeyam.

Indications: Indigestion, grahani etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

PATHIAAPUNARNAVAADI KASHAYAM

Sahasrayogam

Indications: Oedema, anaemia

Dose & Mode of Use: 10 – 15 ml with 3 times hot water twice daily.

PATHYAAKSHADHAATRIAADI KASHAYAM

Shaarnghadhara samhita

Siroroga pradishedham.

Indications: Head aches, suryaavartam, ardhavabhedakam, ear ache, sankhakam, tooth ache, night blindness etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

PATOLAKATUROHINIAADI KASHAYAM

Ashtangahrudayam

Shodhanaadi ganam.

Indications: Skin ailments, fever, itches, vomiting etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

PATOLAMOOLAADI KASHAYAM

Ashtangahrudayam

Kushta chikitsa.

Indications: Skin diseases, itches, chest and bladder aches, vitiligo, intermittent fever etc.

Dose & Mode of Use: 5-10 ml with three times hot water twice daily.

PRASAARINIAADI KASHAYAM

Sahasrayogam.

Indications: Apabahukam, vata ailments etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

PUNARNAVAADI KASHAYAM

Sahasrayogam.

Indications: Anaemia with symptoms like anasarca, fever, cough, and dyspnoea.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

RAASNAADI (RAASNAIRANDAADI) KASHAYAM

Sahasrayogam.

Indications: Vatashonitam, aches and swelling at the ankles, triceps, knees, thighs, waist, and back of the neck etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

RAASNAASAPTAKAM KASHAYAM

Sahasrayogam.

Indications: Vataraktam, low back ache, sciatica etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

RASONAADI KASHAYAM

Sahasrayogam.

Indications: Cough, hridroga, nausea, hiccough etc.
Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

SAHACHARAADI KASHAYAM

Ashtangahrudayam
Vaataviadhi chikitsa.

Indications: Sciatica, aches in the legs, swelling, weakness etc.
Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

SAPTASAARAM KASHAYAM

Sahasrayogam.

Indications: Gulma of women , aches of heart, stomach, back and waist. Regulates bowel movements and improves digestion.
Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

SHATAAVARIAADI KASHAYAM

Sahasrayogam.

Indications: Paittika vatarakta, rakta pitta, insanity, burning sensation, intermittent fever etc.
Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

SHONITAAMRITAM KASHAYAM

Patent.

Major Ingredients: Abhaya, Shaariba, Nimba.

Indications: Ailments due to blood impurity, diabetic carbuncles, itches and visarpa. Mild laxative.
Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

SUKUMAARAM KASHAYAM

Ashtangahrudayam
Vridhi chikitsa.

Indications: Vata gulma, Rakta gulma, hernia, piles, menstrual disorders etc.
Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

TIKTAKAM KASHAYAM

Ashtangahrudayam
Kushta chikitsa.

Indications: Pitta ailments, skin diseases, visarpam, boils, scabies, burning sensation in stomach, thirst, giddiness, anaemia, apachi, chronic wounds etc.
Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

TRAYANTIAADI KASHAYAM

Ashtangahrudayam
Vidradhi chikitsa.

Indications: Internal abscesses, pitta gulma, visarpa, rakta pitta, jaundice, jeerna jwara etc.
Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

TRIJAATAKAADI KASHAYAM

Sahasrayogam.

Indications: Swarasaadam, hrillasa, praseka etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

VAASHAAGULOOCHIAADI KASHAYAM

Sahasrayogam.

Indications: Anaemia, jaundice, raktapitta etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

VAJRAKAM KASHAYAM

Ashtangahrudayam

Kushta chikitsa.

Indications: Skin ailments, visarpam, jaundice etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

VALIYA RAASNAADI KASHAYAM

Sahasrayogam.

Indications: Sannipatika vata ailments.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

VARADI KASHAYAM

Sahasrayogam.

Indications: Obesity

Dose & Mode of Use: 10-15 ml with three times hot water twice daily

VARANAADI KASHAYAM

Ashtangahrudayam

Shodhanaadi ganam.

Indications: Obesity, aamavata, head ache, internal abscess etc.

Dose & Mode of Use: 10-20 ml with three times hot water twice daily.

VIAAGHRIAADI KASHAYAM

Ashtangahrudayam

Jwara chikitsa.

Indications: Vata kapha jwara, rhinitis, cough, asthma etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

VIDAARIAADI KASHAYAM

Ashtangahrudayam

Vataviadhi chikitsa.

Indications: Consumption, body ache, cough etc.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

VILANGAKRISHNAADI KASHAYAM

Sahasrayogam.

Indications: Worms and allied ailments.

Dose & Mode of Use: 10-15 ml with three times hot water twice daily.

LEHAS

AGASTIA RASAAYANAM

Ashtangahrudayam

Kaasa chikitsa.

Indications: Cough, asthma, consumption, hiccough, fever, gulma, piles, hridroga, nasal catarrh etc. This confection consumed daily acts as rejuvenator, dispels wrinkles and greying of hair, bestows colour and complexion.

Dose & Mode of Use: 10-20 gms.

AJAMAAMSA RASAYANAM

Patent.

Major ingredients: Ajamamsam, Aswagandha, Atmagupta.

Indications: Consumption, cough, asthma etc. Nourishes the body and develops strength and vitality quickly.

Dose & Mode of Use: 10-20 gms.

ASHWAGANDHAADI LEHAM

Sahasrayogam.

Indications: Consumption. This nourishes the body, and develops strength and vitality on daily intake.

Dose & Mode of Use: 10-20 gms.

BRAAHMA RASAAYANAM

Ashtangahrudayam

Rasaayanaadhikaaram.

Indications: Stupor, exertion, wrinkles of skin and grey hairs etc. Improves memory power and intelligence. This gives almost same results of Chiavanapraasham.

Dose & Mode of Use: 10-20 gms.

CHIAVANAPRAASHAM

Ashtangahrudayam

Rasaayanaadhikaaram.

Indications: Consumption, cough, asthma, vata ailments, fevers, voice constraint, urinary and semen disorders etc. This is a well known Rasaayanam. Famous for the proper development of children and for warding off weakness in the aged.

Dose & Mode of Use: 10-30 gms.

DASHAMOOLAHAREETAKI LEHAM

Ashtangahrudayam

Shopha chikitsa.

Indications: Dropsy, fever, gulma, anaemia, ailments of liver and kidney etc.

Dose & Mode of Use: 10-20 gms.

DASHAMOOLA RASAAYANAM

Sahasrayogam.

Indications: Asthma, cough, voice constraint etc.

Dose & Mode of Use: 5-10 gms.

DRAAKSHAADI LEHAM

Ashtangahrudayam

Paandu chikitsa.

Indications: Anaemia, jaundice etc.

Dose & Mode of Use: 10-20 gms.

GOMOOTRAHAREETAKI LEHAM

Ashtangahrudayam

Arsas chikitsa.

Indications: Piles, skin diseases, dropsy, intestinal worms, obesity, grandhi, and aamavata etc.

Dose & Mode of Use: 10-20 gms.

KALIAANA GULAM

Ashtangahrudayam

Virechana kalpam.

Indications: Skin ailments, piles, gulma, diabetes, fistula etc. Harmless purgative.

Dose & Mode of Use: 10-20 gms.

KOOSHMAANDA RASAAYANAM

Ashtangahrudayam

Kaasa chikitsa.

Indications: Dry cough, consumption, raktapittam etc.

Dose & Mode of Use: 10-20 gms.

KUTAJATWAGADI LEHAM

Ashtangahrudayam

Athisara chikitsa

Indications: Dyscentry , diaarrhoea.

Dose & Mode of Use: 5 – 10 gms twice daily after food.

MAANIBHADRAM LEHAM

Ashtangahrudayam

Kushta chikitsa.

Indications: Skin diseases, leucoderma,piles,intestinal worms,gulma,spleen ailments etc.

Dose & Mode of Use: 10-20 gms.

MAARKAVA RASAYANAM

Ashtangahrudayam

Switra chikitsa.

Indications: Leucoderma , skin diseases etc.

Dose & Mode of Use: 10-20 gms.

MADHUSNUHEE RASAAYANAM

Sahasrayogam.

Indications: Skin ailments, visarpam, dushta vranam etc.

Dose & Mode of Use: 5-15 gms. Milk should be taken as anupaanam.

MRUDWEEKAADI LEHAM

Ashtangahrudayam

Kaasa chikitsa.

Indications: Pitta dominant cough.

Dose & Mode of Use: 10-20 gms.

SHATAAVAREE GULAM

Sahasrayogam.

Indications: Leuchorrhoea, painful micturation etc.

Dose & Mode of Use: 10-20 gms.

SOORANAADI LEHAM

Ashtangahrudayam

Arsas chikitsa.

Indications: Piles and allied indigestion, loss of appetite and pallor.

Dose & Mode of Use: 10-20 gms.

SUKUMAARALEHAM

Ashtangahrudayam

Vidradhi vridhi chikitsa.

Indications: Vata gulma, rakta gulma, hernia,piles,menstrual disorders etc.

Dose & Mode of Use: 10-20 gms.

VIDAARYADI LEHAM

Ashtangahrudayam

Shodhanaadiganam

Indications: General weakness.To increase body weight.

Dose & Mode of Use: 5-15 gms twice daily after food.

VILWAADI LEHAM

Sahasrayogam.

Indications: Vomiting, loss of appetite, indigestion, grahani, asthma, excessive salivation etc.

Dose & Mode of Use: 5-10 gms.

OILS

AARUKAALAADI OIL

Sahasrayogam.

Indications: Jaundice,pitta ailments etc.

Mode of Use: Apply on head

AMRUTAADI OIL

Sahasrayogam.

Indications: Vaatarakta, headache,burning sensation in head,pitta ailments etc.

Mode of Use: Apply to head.

ANUTAILAM

Ashtangahrudayam

Nasya vidhi.

Indications: Jatroordwa rogas, sinusitis, headache etc.

Dose & Mode of use: 2-10 drops for Nasya karma.

ARIMEDAADI OIL

Sahasrayogam.

Indications: Diseases of the mouth, specially in dental troubles.

Mode of Use: External application and gargling.

ARIMEDASTAILAM

Ashtangahrudayam

Mukharoga pratishedham.

Indications: Diseases of mouth and teeth.

Mode of Use: Gargling, applying on the teeth and head.

ASANAILADI OIL & COCONUT OIL

Sahasrayogam.

Indications: Promotes comfort of eyes, ear and head and prevent catarrh.

Mode of Use: Apply on head and body.

ASANAMANJISHTAADI OIL

Sahasrayogam.

Indications: Gives coolness to head and eyes.

Mode of Use: Apply on head.

ASANAVALWAADI OIL & COCONUT OIL

Sahasrayogam.

Indications: Promotes comfort of eyes, ear and head and prevent catarrh.

Mode of Use: Apply on head.

BALAA THAILAM

Ashtamgasamgraham

Vata chikitsa

Indications: Vatavikeras, Pakshaghatam etc.

Mode of Use: External application on head and body.

BALAADHAATRIAADI OIL

Sahasrayogam.

Indications: Head ache, suppuration of ears, dental troubles etc. Gives coolness to head and eyes.

Mode of Use: Apply on head.

BALAAGULOOCHIAADI OIL & COCONUT OIL

Sahasrayogam.

Indications: Vatashonita, burning sensation, catarrh and allied troubles etc.

Mode of Use: Apply on head and body.

BALAMRUTAADI TAILAM (BALAAGULOOCHIAADI TAILAM SPECIAL)

Patent.

Main ingredients: Combination of Balaguloochiaadi oil and Kaaraskaram.

Indications: Vatashonita, headache etc.

Mode of Use: Apply on head and body.

BALAAHATAADI OIL & COCONUT OIL

Sahasrayogam.

Indications: Headache.

Mode of use: Apply on head.

BALAASHWAGANDHAADI OIL

Sahasrayogam.

Indications: Consumption, cattarrh etc.

Mode of Use: Apply on head and body.

BALAASHWAGANDHAADI KUZHAMPU

Sahasrayogam.

Indications: Vata ailments, insanity, cough etc. Gives nourishment and strength to the body.

Mode of use: Apply on body.

BHRUNGAAMALAKAADI COCONUT OIL

Sahasrayogam.

Indications: Ailments of ear, throat, teeth and head. Gives coolness, clear vision and natural lusture to the eyes

Mode of Use: Apply on head.

BHUJAGALATAADI OIL & COCONUT OIL

Chikitsamanjari

Siroroga chikitsa.

Indications: Dandruff, head ache, hair-falling etc. Gives natural colour and beauty to hairs.

Mode of Use: Apply on head.

CHEMPARATIAADI COCONUT OIL

Patent.

Main ingredients: Japaapatram, Neelinee, Nirgundee, Durva, Elaadi ganam.

Indications: Skin ailments of children, itches etc.

Mode of Use: Apply on head and body.

CHINCHAADI OIL & KUZHAMBU

Sahasrayogam

Indications: Vata ailments associated with numbness and pain, sarvangavata etc.

Mode of Use: Apply on head and body. Kuzhambu is not used on the head.

DASAMOOLA TAILAM

Ashtamgasamgraham

Karnaroga pratishedham.

Indications: Ear diseases, oedema of lower limbs etc.

Mode of Use: Apply on head.

DEVADAARVAADI COCONUT OIL

Patent.

Major ingredients: Devadaaru, milk etc.

Indications: Kapha ailments especially in children, productive cough, tonsillitis etc.

Mode of Use: Apply on head.

DHAANUANTARAM TAILAM & KUZHAMPU

Ashtangahrudayam

Garbhaviapad saareeram.

Indications: Vata ailments, diseases of women in puerperum, insanity, retention of urine, hernia etc.

Mode of Use: Both internally and externally. Kuzhambu is not used internally and is good for Pizhichil.

DHAANUANTARAM REPETITIONS (3 & 7 times)

Ashtangahrudayam

Garbhaviapad saareeram.

Indications: Same as above with higher potency. The more number of repetitions, efficacy will be higher. Prepared in 3 and 7 repetitions.

Dose & Mode of use: Snehapaanam, Nasya karma, Vasthi and external application. 10 drops to one teaspoon.

DHURDHOORAPATRAADI COCONUT OIL

Sahasrayogam.

Indications: Dandruff, itching on scalp etc.

Mode of Use: Apply on head.

DINESHAILAADI OIL & COCONUT OIL

Sahasrayogam.

Indications: Scabies, psoriasis, etc.

Mode of Use: External application.

ELAADI OIL & COCONUT OIL

Ashtangahrudayam
Shodhanaadi ganam.

Indications: Skin ailments, catarrh, itches, scabies, karappan etc.

Mode of Use: Apply on head and body.

GANDHARVAHASTA TAILAM

Ashtamgasamgraham
Vidradhi vridhi chikitsa.

Indications: Back ache, vata ailments etc. Mild laxative.

Dose & Mode of use: 5-20 ml internally.

GULGULUMARICHAADI TAILAM

Ashtamgasamgraham

Vataraktha chikitsa

Indications: Vranas, dushta vranas

Mode of Use: External application.

HINGUTRIGUNAM

Ashtangahrudayam

Gulma chikitsa.

Indications: Hydrocele, gulma, stomach aches etc. Laxative.

Dose & Mode of use: 5-20 ml internally.

JAATIAADI COCONUT OIL

Ashtangahrudayam

Sadiovrana pratishedham.

Indications: Wounds and ulcers.

Mode of Use: External application.

JEEVANTIAADI YAMAKAM

Ashtangahrudayam

Kushta chikitsa.

Indications: Cracks in feet, palms and lips, psoriasis etc.

Mode of Use: External application.

KAARPAASAASTHIAADI OIL & KUZHAMPU

Sahasrayogam.

Indications: Paralysis, facial palsy, apabahukam etc.

Mode of Use: Apply on head and body. Kuzhambu is not used on the head.

KANJUNIAADI OIL & COCONUT OIL

Sahasrayogam.

Indications: Dandruff, headache, hair fall etc.

Mode of Use: Apply on head.

KARPOORAADI OIL

Patent.

Major ingredients: Karpoora, Ajamoda etc.

Indications: Vata ailments especially with pain and numbness.

Mode of Use: External application.

KETAKEEMOOLAADI KUZHAMBU

Sahasrayogam.

Indications: Astigatavaatam, vataraktam etc.

Mode of Use: External application.

KHAJITHAPINDA TAILAM

Ashtangahrudayam

Vataraktha chikitsa

Indications: Vataraktams, burning sensation etc.

Dose & Mode of Use: External application.

KOTTAMCHUKAADI OIL & KUZHAMBU

Sahasrayogam.

Indications: Vata ailments, numbness, pain, oedema etc.

Mode of Use: External application.

KSHEERABALAA TAILAM

Sahasrayogam.

Indications: Vata ailments, arditam, aayamam, hemiplegia, and other nervous disorders, head ache, sooriavartha, vaginal disorders, insomnia etc.

Mode of Use: Apply on head and body.

KSHEERABALA REPETITIONS

Sahasrayogam.

Indications: Same as above with higher potency. The number of repetitions, efficacy will be higher. Prepared in 3,7,14, 21 and 101 repetitions.

Dose & Mode of use: Snehapaanam, Nasya karma, Vasthi and external application. 2 drops to one teaspoon.

LAAKSHAADI OIL & COCONUT OIL

Ashtangahrudayam

Baalaamaya pratishedham.

Indications: Body-wasting and catarrh in children. It purifies the blood.

Mode of Use: Apply on head and body.

MAALATIAADI COCONUT OIL

Ashtangahrudayam

Siroroga pratishedham.

Indications: Indraluptam, darunakam etc.

Mode of Use: Apply on head

MAASHA TAILAM

Ashtangahrudayam

Vaatasonita chikitsa.

Indications: Emaciation, numbness, contraction etc.

Mode of Use: External application.

MADHUKAADI OIL

Patent.

Major ingredients: Ksheerivriksha, Madhukam etc.

Indications: Asthma, cough, insomnia etc.

Mode of Use: Apply on head.

MADHUYASHTIAADI OIL

Ashtangahrudayam

Vaatasonita chikitsa.

Indications: Vaatasonitam, catarrh etc.

Mode of Use: Apply on head and body.

MAHAABALAA TAILAM

Ashtangahrudayam

Vaatasonita chikitsa.

Indications: Aavarana vata, heart diseases, vranayaamam etc. Useful for women after delivery, and for those not conceiving.

Dose & Mode of Use: 10-60 drops. Both internally and externally.

MAHAAMAASHA TAILAM

Sahasrayogam.

Indications: Hemiplegia, facial paralysis, deafness, lockjaw, sciatica, apabaahukam etc.

Mode of Use: External application.

MAHANARAYANA TAILAM

Sahasrayogam.

Indications: Vata ailments, vatashonita etc.

Mode of Use: Snehanam, Nasya, Karma and external application.

MAHARAJAPRASARANI TAILAM

Sahasrayogam

Indications: Vata ailments , apaback etc

Mode of Use: Internal application with milk 10 drops to 1 teaspoon.

MURIVENNA

Aarogiachandrika.

Indications: Cuts,wounds,fractures, dislocations etc.

Mode of Use: External application.

NAALPAAMARAADI OIL & COCONUT OIL

Sahasrayogam.

Indications: Skin ailments, itches, visarpam, blood impurities etc.

Mode of Use: Apply on head and body.

NAARAAYANA TAILAM

Bhaishajiaratnaavali

Vaatavyaadhi chikitsa.

Indications: Vata ailments, vatashonita etc.

Mode of Use: Snehapaanam, Nasya karma and external application.

NEELEEBRUNGAADI OIL & COCONUT OIL

Sahasrayogam

Indications : Reputed in growth of hair, gives comfort to head and eyes.

Mode of Use: Apply on head.

NEELEEDALAADI COCONUT OIL

Prayoga samuchayam.

Ashtama parichedam.

Indications : Spider poisoning, skin ailments, itches etc.

Mode of Use: External application.

NIMBAAMRUTAADI CASTOR OIL

Ashtangahrudayam

Vataviadhi chikitsa.

Indications :Laxative in rheumatic and skin ailments.

Dose & Mode of Use: 5-10 ml internally.

NIMBAAMRUTAADI OIL

Ashtangahrudayam

Vataviadhi chikitsa.

Indications : Catarrh.

Mode of Use: Apply on head.

NIRGUNDIAADI COCONUT OIL

Yogaratna samuchayam

Siroroga pradishedham.

Indications : Tonsilitis, head ache, rhinitis, insomnia etc.

Mode of Use: Apply on head.

NISHOSHEERAADI OIL & COCONUT OIL

Sahasrayogam

Indications: Diabetic carbuncle.

Mode of Use: External application.

PANCHASNEHAM KUZHAMPU

Sahasrayogam

Indications: Vata ailments , stiffness,fracture,wasting,apabahukam.

Mode of Use: External application.

PARINATAKERIAADI TAILAM

Sahasrayogam.

Indications: Apabahukam.

Mode of Use: External application.

PATOLAADI COCONUT OIL

Ashtanga hrudayam

Shodhanadi ganam.

Indications : Skin ailments, wounds etc.

Mode of Use: External application.

PINDA TAILAM

Ashtangahrudayam

Vaatsonita chikitsa.

Indications: Vatasonita and allied burning, swelling, and redness.

Mode of Use: External application and for Dhara.

PIPPALIAADI ANUAASANA TAILAM

Ashtangahrudayam

Arsas chikitsa.

Indications: Udavartam, piles, constipation etc.

Mode of Use: For Vasti.

PRABHANJANAM TAILAM & KUZHAMBU

Sahasrayogam.

Indications : Sarvanga vata, ardit, numbness, neuralgia, sciatica etc.

Mode of Use: External application.

PRASAARINEE TAILAM

Ashtangahrudayam

Vataviadhi chikitsa.

Indications : All vata ailments.

Mode of Use : Externaly and for Nasya karma.

RAASNAADI OIL

Sahasrayogam.

Indications : Vata ailments, particularly in facial paralysis.

Mode of Use : Externally, internally and for Sirovasti.

SAHACHARAADI OIL & KUZHAMBU

Ashtangahrudayam

Vataviadhi chikitsa.

Indications : Vata ailments especially of the lower extremities, varicose veins etc.

Mode of Use: Apply on body.

SAHACHARAADI REPETITIONS

Ashtangahrudayam

Vataviadhi chikitsa.

Indications: Same as above with higher potency. The more number of repetitions efficacy will be higher. Prepared in 3 and 7 repetitions.

Dose & Mode of Use: Good for intake with milk or in kashayas. Five drops to one teaspoon.

SHUDHABALA OIL

Sahasrayogam.

Indications : Vata ailments, insomnia etc.

Mode of Use: External application.

SHUDHADOORVAADI COCONUT OIL

Patent.

Major ingredients: Doorva, Madhuka etc.

Indications: Skin ailments, pittavisarpa, burning sensation etc.

Mode of Use: External application.

SIROVIRECHANAM

Ashtangahrudayam

Shodhanadi ganam.

Indications : Head ache, sinusitis, migraine, kapha ailments etc.

Mode of Use : Nasya karma.

TEKARAJA TAILAM & COCONUT OIL

Sahasrayogam.

Indications : Pratamaka swasam, asthma, cough etc.

Mode of Use :Apply on head.

TRIPHALADI OIL & COCONUT OIL

Sahasrayogam.

Indications : Ear and eye ailments, catarrh etc.

Mode of Use :Apply on head.

TUNGADRUMAADI OIL

Sahasrayogam.

Indications : Insomnia, keeps the head cool.

Mode of Use :Apply to the head.

VAATAMARDANAM KUZHAMBU

Indications : Vata ailments, sprain,numbness etc.

Mode of Use :External application.

VACHAALASHUNA TAILAM

Sahasrayogam.

Indications : Otorrhea, ear diseases etc.

Mode of Use :Apply to the head and for Karnapooranam.

VAJRAKAM TAILAM

Ashtangahrudayam

Kushta chikitsa.

Indications : Skin ailments, dushta vranam, nadi vranam etc.

Mode of Use :External application.

VALIYA CHANDANAADI OIL

Sahasrayogam.

Indications : Insomnia, head ache, burning sensation etc.

Mode of Use :Apply to the head.

VIDAARIAADI YAMAKAM

Ashtangahrudayam

Shodhanadi ganam.

Indications : Dhatuksayaja vata ailments, sprain, pain etc.

Mode of Use: Apply on head and body.

VILWAMPAACHOTTIAADI OIL

Sahasrayogam.

Indications : Diseases of head, gives cooling effect to head and eyes.

Mode of Use : Apply to the head.

PILLS

CHANDRAPRABHA

Baishajjaratnaavali

Premeha chikitsa.

Indications: Diabetes, urinary disorders, calculas, menstrual irregularities, fistula etc.

Dose & mode of use: 1-2 twice or thrice daily.

CHUKKUMTIPPALIAADI

Sahasrayogam.

Indications: Jeerna jwaram, sannipaata jwaram etc.

Dose & mode of use: 1-2 twice or thrice daily.

DASHAAMGAM

Ashtangahrudayam

Keetalootaadi pratishedham.

Indications: All types of insect bite poisons.

Dose & mode of use: Both externally and internally. 1-2 twice or thrice daily.

DHAANUANTARAM

Sahasrayogam.

Indications: Asthma, cough, vomiting, hiccough, consumption etc.

Dose & mode of use: 1-2 twice or thrice daily.

DOOSHEEVISHAARI

Ashtangahrudayam

Visha pratishedham.

Indications: Doosheevisham.

Dose & mode of use: 1-2 twice or thrice daily.

GOPEECHANDANAADI

Sahasrayogam.

Indications: Children's ailments, fever, asthma, cough, grahani, convulsions etc.

Dose & mode of use: 1-2 twice or thrice daily in honey, or breast milk.

GOROCHANAADI

Sahasrayogam.

Indications: Sannipata jwaram, asthma, cough, vomiting, arditam etc.

Dose & mode of use: 1-2 twice or thrice daily.

GRAHANIANTAKAM

Patent.

Major ingredients: Vacha, Hingu, Saindhavam etc.

Indications: Grahani, indigestion etc.

Dose & mode of use: 1-2 twice or thrice daily.

HINGUVACHAADI

Ashtangahrudayam

Gulma chikitsa

Indications: Gulma, intestinal and urinary obstructions, dyspepsia, diarrhoea, hydrocele, piles, asthma, cough etc.

Dose & mode of use: 1-2 twice or thrice daily.

KAANKAAYANAM GULIKA

Sahasrayogam

Indications: Piles, constipation etc.

Mode of Use: 1 – 2 twice daily and suitable kashayam or arishta.

KAISHORAGULGULU

Shaarngadhara samhita

Vaatarakta chikitsa.

Indications: Skin ailments, wounds, gulma, vatashonitam, prameha pitakas, fistula etc.

Dose & mode of use: 1-2 twice or thrice daily.

KARUTTA GULIKA

Sahasrayogam.

Indications: Headache. It is also referred as SIRRASTTODA GULIKA.

Dose & mode of use: External application only. A pill rubbed into ghee, milk, breast milk or suitable *Aavarttees* and applied over the crown and forehead.

KASTOORIAADI (VAYU GULIKA)

Sahasrayogam.

Indications: Asthma, cough, hiccough, sprain, breathing constraint, convulsions, epilepsy etc.

Dose & mode of use: 1-2 twice or thrice daily.

KOMPANCHAADI

Sahasrayogam.

Indications: Children's fever, asthma, convulsions etc.

Dose & mode of use: 1-2 twice or thrice daily.

KUTAJAPHAANITAM

Ashtangahrudayam

Arsas chikitsa.

Indications: Bleeding piles, rakta pittam, diarrhoea etc.

Dose & mode of use: 1-2 pill in milk twice daily.

MAANASAMITRAM

Sahasrayogam.

Indications: Lunacy, convulsions, epilepsy etc.

Dose & mode of use: 1-2 pill in milk twice daily.

MANDOORAVATAKAM

Ashtangahrudayam

Paandu chikitsa.

Indications: Anaemia.

Dose & mode of use: 1-2 pill in butter milk twice or thrice daily.

NAVAAYASAM

Ashtangahrudayam

Paandu chikitsa.

Indications: Anaemia, dropsy, jaundice etc.

Dose & mode of use: 1-2 pill in butter milk twice or thrice daily.

NAVAGULGULU

Ashtangahrudayam

Vaataviadhi chikitsa.

Indications: Obesity, amavatam, anaemia, dropsy etc.

Dose & mode of use: 1-2 twice or thrice daily.

SHWAASAANANDAM

Sahasrayogam.

Indications: Cough, asthma, hiccough, breathing constraint etc.

Dose & mode of use: 1-2 twice or thrice daily.

SOORIAPRABHA

Sahasrayogam.

Indications: Fevers, cough, asthma etc.

Dose & mode of use: 1-2 twice or thrice daily.

VETTUMAARAN

Sahasrayogam.

Indications: Intermittent fever, asthma, vomiting, mootraaghaadam, abdominal pain, gulma etc.

Dose & mode of use: 1-2 twice or thrice daily.

VILWAADI

Ashtangahrudayam

Visha pratishedham.

Indications: Poisons of cobra, spider, rat, and scorpion, diarrhoea, fever, grahani etc.
Dose & mode of use: 1-2 twice or thrice daily.

YOGARAAJAGULGULU

Shaarnghadhara samhita
Vata chikitsa.

Indications: Aamavaatam, intestinal worms, skin ailments, gulma, piles etc.
Dose & mode of use: 1-2 twice or thrice daily.